

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

## Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 1/10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: **Pure Black Tire Cleaner**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: car care product

Uses advised against: undefined

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer:

LIPORT Wojciech Liszega

ul. Krasickiego 2a/73

81-385 Gdynia

Production facility:

Leśna 8

83-010 Straszyn

#### 1.4. Emergency telephone number

European emergency number: 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

##### Skin Corr. 1B

**H314** Causes severe skin burns and eye damage.

##### Eye Dam 1

**H318** Causes serious eye damage.

#### 2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008

Signal word

**DANGER**

Pictograms



##### Substances to be listed on the label

Tetrasodium ethylene diamine tetraacetate

Alcohols, C9-11, ethoxylated

Sodium hydroxide

##### Hazard statements

**H314** Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

## Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 2/10

### Precautionary statements

#### General

**P102** Keep out of reach of children.

#### Prevention

**P260** Do not breathe mist/vapours/spray.

**P264** Wash hands thoroughly after handling.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

**P301+P330+P331** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P310** Immediately call a POISON CENTER/doctor.

#### Storage

**P405** Store locked up.

#### Removal

**P501** Dispose of contents/container to properly labeled waste containers in accordance with local regulations.

### Supplemental information

#### Ingredients content according to regulation 648/2004 / EC

non-ionic surfactants	5 - < 15%
Anionic surfactants	< 5%
amphoteric surfactants	< 5 %
EDTA and salts thereof	5 - < 15%

### 2.3. Other hazards

This mixture does not contain substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances --

### 3.2. Mixtures

Name of substance	Identifier	Classification 1272/2008	% weight
Alcohols, C9-11, ethoxylated	Index: -- CAS: 68439-46-3 EC: -- Reg. no. REACH:--	Acute Tox. 4 Eye Dam. 1	H302 H318 5 - <10
Tetrasodium ethylene diamine tetraacetate	Index: 607-428-00-2 CAS: 64-02-8 EC: 200-573-9 Reg. no. REACH: 01-2119486762-27-XXXX	Acute Tox. 4 Eye Dam. 1 Acute Tox. 4 STOT RE 2	H302 H318 H332 H373 3,5 - 6
Sodium hydroxide <sup>[1][2]</sup>	Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Reg. no. REACH: 01-2119457892-27-XXXX	Met. Corr. 1 Skin Corr. 1A	H290 H314 1 – 2,5

## SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

### Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 3/10

2-(2-butoxyethoxy)ethanol <sup>[2][3]</sup>	Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Reg. no. REACH:--	Eye Irrit. 2	H319	2,5 – 5
Alcohols, C12-14, ethoxylated sulfates, sodium salts <sup>[1]</sup>	Index: -- CAS: 68891-38-3 EC: 500-234-8 Reg. no. REACH: 01-2119488639-16-XXXX	Eye Dam. 1 Skin Irrit. 2 Aquatic Chronic 3	H318 H315 H412	1 – 2,5
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts <sup>[1]</sup>	Index: -- CAS: -- EC: 931-296-8 Reg. no. REACH: 01-2119513359-38-XXXX	Eye Dam. 1 Aquatic Chronic 3	H318 H412	0,5 – 1,6

#### Notes

The full meaning of the risk phrases H included in the chapter 16

<sup>[1]</sup> Specific concentration limits

Alcohols, C12-14, ethoxylated sulfates, sodium salts: Eye Irrit. 2:  $\geq 5 - < 10$ , Eye Dam. 1:  $\geq 10$

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts: Eye Irrit. 2: Eye Dam. 1 H318;  $C \geq 10$ ; Eye Irrit 2 H319;  $4 \leq C < 10$

Sodium hydroxide: Eye Irrit. 2; H319:  $0,5 \% \leq C < 2 \%$ , Skin Irrit. 2; H315:  $0,5 \% \leq C < 2 \%$ , Skin Corr. 1A; H314:  $C \geq 5 \%$ , Skin Corr. 1B; H314:  $2 \% \leq C < 5 \%$

<sup>[2]</sup> Substances for which there are national occupational exposure limit values

<sup>[3]</sup> Substances for which there are Union workplace exposure limits

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### Inhalation

Remove person to fresh air and keep comfortable for breathing.

Ensure warmth and calm.

Provide medical assistance if necessary.

###### Ingestion

Do not induce vomiting.

Rinse mouth.

If unconscious – do not give the person anything to swallow.

Transport the injured person to a hospital if necessary.

###### Eye contact

Remove contact lenses.

Rinse contaminated eyes with lukewarm water for 10-15 minutes with the eyelids rolled back. Avoid strong water stream due to the risk of mechanical damage to the cornea.

Provide medical assistance immediately.

###### Skin contact

Remove contaminated clothing immediately.

Clean contaminated skin, wash with plenty of water, then wash with water and mild soap.

Provide medical assistance immediately.

##### 4.2. Most important symptoms and effects, both acute and delayed

###### Skin contact

Serious symptoms may include: pain or irritation, reddening, blisters

###### Ingestion

Serious symptoms may include: stomach pains

## SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

### Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 4/10

#### Eye contact:

Serious symptoms may include: pain, tearing, reddening

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Provide medical assistance immediately.

First aid supplies should be available on the workplace premises.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Fire-fighting foam, carbon dioxide CO<sub>2</sub>, fire-extinguisher powders, dispersed water

##### Unsuitable extinguishing media

Do not direct dense jets of water onto the surface of a burning product.

#### 5.2. Special hazards arising from the substance or mixture

##### Combustion products

Toxic thermal decomposition products, as well as carbon monoxide and carbon dioxide (CO<sub>x</sub>), nitrogen oxide (NO<sub>x</sub>) may be generated during combustion.

##### Explosive mixtures

Not applicable

#### 5.3. Advice for firefighters

Use standard firefighting methods for extinguishing chemical fires.

Use water to cool containers exposed to high temperatures, and if possible, remove them from the area affected.

Use water spray jets to disperse vapours.

##### Fire-fighter protective equipment

Full personal protective equipment.

Self-contained breathing equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with eyes and skin. Wear appropriate protective equipment (gloves, safety glasses). Remove all sources of ignition. Keep all persons not equipped with personal protection equipment away.

In case of a discharge of a significant volume of the mixture, warn its users and order all bystanders to leave the contaminated area.

Risk of slipping on spilt product.

#### 6.2. Environmental precautions

Prevent environmental contamination.

Protect drains.

In case of serious contamination of soil, watercourse or sewage system, notify the appropriate authorities.

#### 6.3. Methods and material for containment and cleaning up

Secure any damaged packaging.

Ventilate the area affected and avoid inhaling vapours.

Collect with absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite).

Place all contaminated mass collected in a substitute container and send it for disposal in accordance with the local regulations.

Rinse the contaminated surface with plenty of water.

#### 6.4. Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

## Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 5/10

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Recommendations for handling the mixture

Provide adequate ventilation.  
Avoid contact with eyes and skin.  
Avoid inhaling product vapours.

##### General industrial health and safety regulations

Do not eat, drink or smoke when using this product.  
Wash hands thoroughly after handling.  
Replace contaminated clothing.  
Wash contaminated clothing before reusing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage rooms must be ventilated.  
Keep container tightly closed.  
Store in a dry and cool place.  
Keep only in the original container.  
Keep away from sunlight, as well as heat and ignition sources.  
Do not store together with foodstuffs and animal feed.  
Read the safety data sheet.

#### 7.3. Specific end use(s)

No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Ingredients with limit values that require monitoring at the workplace

Name of the chemical agent	CAS	Limit values				Comments
		Long-term	Short-term			
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
2-(2-Butoxyethoxy) ethanol	112-34-5	10	67,5	15	101,2	--
Sodium hydroxide	1310-73-2	-	-	-	2	-

##### DNEL

###### Alcohols, C12-14, ethoxylated sulfates, sodium salt

Workers, Long-term Exposure, Systemic Effects, Skin: 2750 mg / kg  
Workers, long-term exposure, systemic effects, inhalation: 175 mg / cm<sup>3</sup>  
Consumers, long-term exposure, systemic effects, skin: 1650 mg / kg bw / day  
Consumers, long-term exposure, systemic effects, inhalation: 52 mg / cm<sup>3</sup>  
Consumers, long-term exposure, systemic effects, oral: 15 mg / kg bw / day

###### Tetrasodium ethylene diamine tetraacetate

Workers, short-term exposure, systemic effects, inhalation: 3 mg / m<sup>3</sup>  
Workers, long-term exposure, local effects, inhalation: 1.5 mg / m<sup>3</sup>  
General population, short-term exposure, local effects, inhalation: 1.2 mg / m<sup>3</sup>  
General population, long-term exposure, local effects, inhalation: 0.6 mg / m<sup>3</sup>  
General population, long-term exposure, systemic effects, oral: 125 mg / kg bw / day

###### 2- (2-Butoxyethoxy) ethanol

## SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

### Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 6/10

Workers, short-term exposure, local effects, inhalation: 101.2 mg / m<sup>3</sup>  
Workers, long-term exposure, systemic effects, skin: 20 mg / kg bw / day  
Workers, long-term exposure, systemic effects, inhalation: 67.5 mg / m<sup>3</sup>  
Workers, long-term exposure, local effects, inhalation: 67.5 mg / m<sup>3</sup>  
Consumers, short-term exposure, local effects, inhalation: 50.6 mg / m<sup>3</sup>  
Consumers, long-term exposure, systemic effects, skin: 10 mg / kg bw / day  
Consumers, long-term exposure, systemic effects, inhalation: 34 mg / m<sup>3</sup>  
Consumers, long-term exposure, systemic effects, orally: 1.25 mg / kg  
Consumers, long-term exposure, local effects, inhalation: 34 mg / m<sup>3</sup>

#### PNEC

##### Alcohols, C12-14, ethoxylated sulfates, sodium salt

Fresh water: 0.24 mg / l

Sea water: 0.024 mg / l

Fresh water sediment: 0.9168 mg / kg

Sewage treatment plant (STP): 10,000 mg / l

Soil: 7.5 mg / kg

##### Tetrasodium ethylene diamine tetraacetate

Fresh water: 2.2 mg / l

Sea water: 0.22 mg / l

Intermittent release (water): 1.2 mg / l

Sewage treatment plant (STP): 43 mg / l

Soil: 0.72 mg / kg

##### 2- (2-Butoxyethoxy) ethanol

Fresh water: 1 mg / l

Sea water: 0.1 mg / l

Fresh water sediment: 4 mg / kg

Marine sediment: 0.4 mg / kg

Soil: 0.4 mg / kg

## 8.2. Exposure controls

### Appropriate engineering controls

Workstations and storage rooms must be well ventilated to keep the vapour concentrations in the air below their limit values.

### Individual protection measures



#### Eye or face protection

Use safety goggles compliant with the EN 166 standard.

Eye wash bottle with clean water or eye washers must be provided near the work area.

#### Skin protection



#### Hand protection

Use chemical-resistant protective gloves compliant with the EN 374 standard.

Recommended material: nitrile rubber

Select glove material based on breakthrough time, rate of penetration and degradation.

It is recommended to change gloves regularly and immediately replace them if they have any signs of wear, damage (tears, holes) or their appearance changes (colour, flexibility, shape).

#### Body protection

Suitable protective clothing

The type of protective equipment must be selected based on the quantity and concentration of hazardous

## SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

### Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 7/10

substances in the given work environment.

#### Respiratory protection

If proper ventilation is provided, respiratory protection equipment is not required.

In case of hazard due to the mixture vapours levels exceeding allowable levels in the air (e.g. due to ventilation failure), wear respiratory protection equipment.

#### Environmental exposure controls

Do not discharge into drains and groundwater.

#### General health and safety guidelines

Follow good personal hygiene practices.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	No data available
Odour	No data available
Melting point/freezing point	No data available
Boiling point or initial boiling point and boiling range	No data available
Flammability	No data available
Lower and upper explosion limit	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Kinematic viscosity	No data available
Solubility	No data available
Partition coefficient n-octanol/water (log value)	No data available
Vapour pressure	No data available
Density and/or relative density	No data available
Relative vapour density	No data available
Particle characteristics	No data available

#### 9.2. Other information

Information with regard to physical hazard classes	No data available
Other safety characteristics	No data available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The mixture is not chemically reactive if stored and used under proper conditions.

#### 10.2. Chemical stability

The mixture is chemically stable if stored and used under proper conditions.

#### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

Avoid high temperatures, direct sunlight, hot surfaces and open flames. Protect against frost.

#### 10.5. Incompatible materials

Strong oxidizing agents

#### 10.6. Hazardous decomposition products

## SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

### Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 8/10

Not present when handled as intended.

#### SECTION 11: Toxicological information

##### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

###### Acute toxicity

Based on available data, the classification criteria are not met.

###### Alcohols, C9-11, ethoxylated

LD50 (Skin, Rabbit): > 2000 mg / kg

LD50 (oral, Rat): 1400 mg / kg

###### Tetrasodium ethylene diamine tetraacetate

LD50 (oral, male / female rat): > 1780- <2000 mg / kg body weight

LOAEC (Inhalation, male rat): ~ 30 mg / m<sup>3</sup>

###### Sodium hydroxide

LD50 (oral, rat): 500 mg / kg

###### Skin corrosion/irritation

Causes severe skin burns.

###### Serious eye damage/irritation

Causes serious eye damage.

###### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

###### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

###### Carcinogenicity

Based on available data, the classification criteria are not met.

###### Reproductive toxicity

Based on available data, the classification criteria are not met.

###### STOT-single exposure

Based on available data, the classification criteria are not met.

###### STOT-repeated exposure

Based on available data, the classification criteria are not met.

###### Aspiration hazard

Based on available data, the classification criteria are not met.

##### 11.2. Information on other hazards

###### Endocrine disrupting properties

No data

###### Other information

No data

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Based on available data, the classification criteria are not met.

###### Sodium hydroxide

Toxicity to fish:

LC0 (Leuciscus idus melanotus): 157 mg / l / 48h, LC50: 189 mg / l / 48h, LC100: 213 mg / l / 48h

##### 12.2. Persistence and degradability

Surfactants used in the product meet the biodegradability requirements in accordance with Regulation (EC) no 648/2004/EC as amended.

##### 12.3. Bioaccumulative potential

No data



# SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

## Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 9/10

### 12.4. Mobility in soil

No data

### 12.5. Results of PBT and vPvB assessment

This mixture does not contain substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.

### 12.6. Endocrine disrupting properties

No data

### 12.7. Other adverse effects

No data

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of in accordance with current regulations.

Hand over any used packaging to an authorised company for disposal or reuse.

Do not release into the environment.

## SECTION 14: Transport information

### 14.1. UN number or ID number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

Label no. :

### 14.4. Packing group

### 14.5. Environmental hazards

### 14.6. Special precautions for user

### 14.7. Maritime transport in bulk according to IMO instruments

**UN 1760**  
**CORROSIVE LIQUID, N.O.S..**  
(Sodium hydroxide)

8



8

II

No

not applicable

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (REACH).
- REGULATION (EC) No 1907/2006 OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
- COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

### 15.2. Chemical safety assessment

No mixture chemical safety assessment has been carried out.

## SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

### Pure Black Tire Cleaner

Date of compilation: 01.06.2021

Revision:

Page: 10/10

#### SECTION 16: Other information

##### Full text of H-phrases mentioned in section 3:

<b>H290</b>	May be corrosive to metals.
<b>H302</b>	Harmful if swallowed.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H315</b>	Causes skin irritation.
<b>H318</b>	Causes serious eye damage.
<b>H319</b>	Causes serious eye irritation.
<b>H412</b>	Harmful to aquatic life with long lasting effects.

##### Classification procedures according to Regulation (EC) 1272/2008

Classification based on calculation procedure.

##### Abbreviations and Acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
PP: Severe Marine Pollutant  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent

##### Note to readers

The product described in the safety data sheet should be stored and used in accordance with good industrial practices and in compliance with all applicable legal regulations.

The information contained in the safety data sheet is based on the current state of knowledge and is intended to describe the product in terms of health, safety and environmental regulations. It should not be considered a guarantee of any specific product properties.

We cannot make any representations or warranties regarding the accuracy or completeness of any information provided or the quality or specifications of any products, substances or mixtures discussed herein.

The user is responsible for creating conditions for the safe use of the product and for the consequences of its misuse.

Przedsiębiorstwo EKOS S.C.

80-177 Gdańsk, ul. Lubczykowa 5,

[ekos@ekos.gda.pl](mailto:ekos@ekos.gda.pl)

[www.ekos.gda.pl](http://www.ekos.gda.pl)